


WHAT IS CLAIMED IS:

1. A compound of the Formula A:



5

wherein:

- a is 0 or 1;
 10 b is 0 or 1;
 m is 0, 1 or 2;
 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 q is 0, 1, 2, 3 or 4;
 15 r is 0 or 1;
 s is 0 or 1;
 t is 2, 3, 4, 5 or 6;

u, v, w and x are independently selected from: CH and N;

20

y and z are independently selected from: CH and N, provided that at least one of y and z is N;

- 25 Q is selected from: $-NR^5R^6$, aryl and heterocyclyl, said aryl and heterocycle which is optionally substituted with one to three R^Z ;

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR^c(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 19) NO₂,
- 20) NR^c(C=O)O_bR^a,
- 21) O(C=O)O_bC₁-C₁₀ alkyl,
- 22) O(C=O)O_bC₃-C₈ cycloalkyl,
- 23) O(C=O)O_baryl, and
- 24) O(C=O)O_b-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^z;

R² is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,

- 5 6) $(C=O)_a O_b C_3-C_8$ cycloalkyl,
 7) CO_2H ,
 8) halo,
 9) CN ,
 10) OH ,
 11) $O_b C_1-C_6$ perfluoroalkyl,
 12) $O_a (C=O)_b NR^5 R^6$,
 13) $NR^c (C=O) NR^5 R^6$,
 14) $S(O)_m R^a$,
 10 15) $S(O)_2 NR^5 R^6$,
 16) $NR^c S(O)_m R^a$,
 17) CHO ,
 18) NO_2 ,
 19) $NR^c (C=O) O_b R^a$,
 15 20) $O(C=O) O_b C_1-C_{10}$ alkyl,
 21) $O(C=O) O_b C_3-C_8$ cycloalkyl,
 22) $O(C=O) O_b$ aryl, and
 23) $O(C=O) O_b$ -heterocycle,
 20 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted
 with one, two or three substituents selected from R^Z ;

R^3 and R^4 are independently selected from: H, C_1-C_6 -alkyl and C_1-C_6 -perfluoroalkyl, or

- 25 R^3 and R^4 are combined to form $-(CH_2)_t-$ wherein one of the carbon atoms is
 optionally replaced by a moiety selected from O, $S(O)_m$, $-N(R^b)C(O)-$, and
 $-N(COR^a)-$;

R^5 and R^6 are independently selected from:

- 30 1) H,
 2) $(C=O) O_b R^a$,
 3) C_1-C_{10} alkyl,
 4) aryl,
 5) C_2-C_{10} alkenyl,

- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 5 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

- 10 R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^z;

- 15 R⁷ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 20 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 25 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR⁵(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 30 15) S(O)₂NR⁵R⁶,
- 16) NR⁵S(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 19) NO₂,

20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl, and

21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^z ;

5

R^z is selected from:

- 1) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_1\text{-C}_{10})\text{alkyl}$,
- 2) $\text{O}_r(\text{C}_1\text{-C}_3)\text{perfluoroalkyl}$,
- 3) $(\text{C}_0\text{-C}_6)\text{alkylene-S}(\text{O})_m\text{R}^a$,
- 10 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkenyl}$,
- 15 9) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkynyl}$,
- 10) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_3\text{-C}_6)\text{cycloalkyl}$,
- 11) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$,
- 12) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
- 13) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N}(\text{R}^b)_2$,
- 20 14) $\text{C}(\text{O})\text{R}^a$,
- 15) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
- 16) $\text{C}(\text{O})\text{H}$,
- 17) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
- 21) $\text{C}(\text{O})\text{N}(\text{R}^b)_2$,
- 25 22) $\text{S}(\text{O})_m\text{R}^a$,
- 23) $\text{S}(\text{O})_2\text{N}(\text{R}^b)_2$
- 21) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 30 24) $\text{O}(\text{C}=\text{O})\text{O}_b\text{aryl}$, and
- 25) $\text{O}(\text{C}=\text{O})\text{O}_b\text{-heterocycle}$,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H , CN, $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6$ alkyl, oxo, and $\text{N}(\text{R}^b)_2$;

R^a is substituted or unsubstituted (C₁-C₆)alkyl, substituted or unsubstituted (C₂-C₆)alkenyl, substituted or unsubstituted (C₂-C₆)alkynyl, substituted or unsubstituted (C₃-C₆)cycloalkyl, substituted or unsubstituted aryl, (C₁-C₆)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

5

R^b is H, (C₁-C₆)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆alkyl, (C=O)C₁-C₆alkyl or S(O)₂R^a;

10 R^c is selected from:


- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 15 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted

20 with one or more substituents selected from R^z, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

2. The compound according to Claim 1 of the Formula A-1:



A-1

25

wherein:

- a is 0 or 1;
 b is 0 or 1;
 m is 0, 1 or 2;
 5 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 r is 0 or 1;
 s is 0 or 1;
- 10 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;
- Q is selected from: $-NR^5R^6$ and heterocycle, said heterocycle which is optionally substituted with one to three R^Z ;
- 15 R^1 is independently selected from:
- 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
 - 2) $(C=O)_aO_b$ aryl,
 - 3) C_2-C_{10} alkenyl,
 - 20 4) C_2-C_{10} alkynyl,
 - 5) $(C=O)_aO_b$ heterocyclyl,
 - 6) $(C=O)_aO_bC_3-C_8$ cycloalkyl,
 - 7) CO_2H ,
 - 8) halo,
 - 25 9) CN ,
 - 10) OH ,
 - 11) $O_bC_1-C_6$ perfluoroalkyl,
 - 12) $O_a(C=O)_bNR^5R^6$,
 - 13) $NR^c(C=O)NR^5R^6$,
 - 30 14) $S(O)_mR^a$,
 - 15) $S(O)_2NR^5R^6$,
 - 16) $NR^cS(O)_mR^a$,
 - 17) oxo,
 - 18) CHO ,
 - 35 19) NO_2 ,

- 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
 5 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,
 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted
 with one or more substituents selected from R^z ;

- R^2 is independently selected from:
- 10 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
 15 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 7) CO_2H ,
 8) halo,
 9) CN ,
 10) OH ,
 20 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
 13) $\text{NR}^5(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
 14) $\text{S}(\text{O})_m\text{R}^a$,
 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
 25 16) $\text{NR}^5\text{S}(\text{O})_m\text{R}^a$,
 17) CHO ,
 18) NO_2 ,
 19) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
 20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 30 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 22) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,
 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted
 with one, two or three substituents selected from R^z ;

R⁵ and R⁶ are independently selected from:

- 1) H,
- 2) (C=O)O^bR^a,
- 5 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 10 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

15

R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with

20

R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 25 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 30 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 35 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,

- 14) $C(O)R^a$,
 15) $(C_0-C_6)alkylene-CO_2R^a$,
 16) $C(O)H$,
 17) $(C_0-C_6)alkylene-CO_2H$,
 5 18) $C(O)N(R^b)_2$,
 19) $S(O)_mR^a$,
 20) $S(O)_2NR^9R^{10}$
 21) $NR^c(C=O)O_bR^a$,
 22) $O(C=O)O_bC_1-C_{10} alkyl$,
 10 23) $O(C=O)O_bC_3-C_8 cycloalkyl$,
 24) $O(C=O)O_baryl$, and
 25) $O(C=O)O_b-heterocycle$,

15 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(C_1-C_6)alkoxy$, halogen, CO_2H , CN, $O(C=O)C_1-C_6 alkyl$, oxo, and $N(R^b)_2$;

20 R^a is substituted or unsubstituted $(C_1-C_6)alkyl$, substituted or unsubstituted $(C_2-C_6)alkenyl$, substituted or unsubstituted $(C_2-C_6)alkynyl$, substituted or unsubstituted $(C_3-C_6)cycloalkyl$, substituted or unsubstituted aryl, $(C_1-C_6)perfluoroalkyl$, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

R^b is H, $(C_1-C_6)alkyl$, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, $(C_3-C_6)cycloalkyl$, $(C=O)OC_1-C_6 alkyl$, $(C=O)C_1-C_6 alkyl$ or $S(O)_2R^a$;

25

R^c is selected from:


- 1) H,
 2) $C_1-C_{10} alkyl$,
 3) aryl,
 30 4) $C_2-C_{10} alkenyl$,
 5) $C_2-C_{10} alkynyl$,
 6) heterocyclyl,
 7) $C_3-C_8 cycloalkyl$,
 8) $C_1-C_6 perfluoroalkyl$,

said alkyl, cycloalkyl, aryl, heterocyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5

3. The compound according to Claim 1 of the Formula B:



10 wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

15 n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

20 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: $-NR^5R^6$ and heterocycle, said heterocycle which is optionally substituted with one to three R^Z ;

25

R^1 is independently selected from:

1) $(C=O)_aO_bC_1-C_{10}$ alkyl,

- 2) $(C=O)_aO_b$ aryl,
- 3) C_2 - C_{10} alkenyl,
- 4) C_2 - C_{10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 5 6) $(C=O)_aO_bC_3$ - C_8 cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN,
- 10) OH,
- 10 11) O_bC_1 - C_6 perfluoroalkyl,
- 12) $O_a(C=O)_bNR^5R^6$,
- 13) $NR^c(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 15 16) $NR^cS(O)_mR^a$,
- 17) oxo,
- 18) CHO,
- 19) NO_2 ,
- 20) $NR^c(C=O)O_bR^a$,
- 20 21) $O(C=O)O_bC_1$ - C_{10} alkyl,
- 22) $O(C=O)O_bC_3$ - C_8 cycloalkyl,
- 23) $O(C=O)O_b$ aryl, and
- 24) $O(C=O)O_b$ -heterocycle,

25 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) $(C=O)_aO_bC_1$ - C_{10} alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 30 3) C_2 - C_{10} alkenyl,
- 4) C_2 - C_{10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 6) $(C=O)_aO_bC_3$ - C_8 cycloalkyl,
- 7) CO_2H ,

- 8) halo,
 9) CN,
 10) OH,
 11) $O_bC_1-C_6$ perfluoroalkyl,
 12) $O_a(C=O)_bNR^5R^6$,
 13) $NR^5(C=O)NR^5R^6$,
 14) $S(O)_mR^a$,
 15) $S(O)_2NR^5R^6$,
 16) $NR^5S(O)_mR^a$,
 17) CHO,
 18) NO₂,
 19) $NR^c(C=O)O_bR^a$,
 20) $O(C=O)O_bC_1-C_{10}$ alkyl,
 21) $O(C=O)O_bC_3-C_8$ cycloalkyl,
 22) $O(C=O)O_b$ aryl, and
 23) $O(C=O)O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^z;

20 R⁵ and R⁶ are independently selected from:

- 1) H,
 2) $(C=O)O_bR^a$,
 3) C_1-C_{10} alkyl,
 4) aryl,
 5) C_2-C_{10} alkenyl,
 6) C_2-C_{10} alkynyl,
 7) heterocyclyl,
 8) C_3-C_8 cycloalkyl,
 9) SO₂R^a, and
 10) $(C=O)NR^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally

containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

5 R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 10 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 15 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 14) C(O)R^a,
- 20 15) (C₀-C₆)alkylene-CO₂R^a,
- 16) C(O)H,
- 17) (C₀-C₆)alkylene-CO₂H,
- 18) C(O)N(R^b)₂,
- 19) S(O)_mR^a,
- 25 20) S(O)₂NR⁹R¹⁰
- 21) NR^c(C=O)O_bR^a,
- 22) O(C=O)O_bC₁-C₁₀ alkyl,
- 23) O(C=O)O_bC₃-C₈ cycloalkyl,
- 24) O(C=O)O_baryl, and
- 30 25) O(C=O)O_b-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R^a is substituted or unsubstituted (C₁-C₆)alkyl, substituted or unsubstituted (C₂-C₆)alkenyl, substituted or unsubstituted (C₂-C₆)alkynyl, substituted or unsubstituted (C₃-C₆)cycloalkyl, substituted or unsubstituted aryl, (C₁-C₆)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and


5 R^b is H, (C₁-C₆)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂ R^a ;

10 R^c is selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 15 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,

20 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z , or a pharmaceutically acceptable salt or a stereoisomer thereof.

4. The compound according to Claim 3 of the Formula B:



25

wherein:

- a is 0 or 1;
 b is 0 or 1;
 m is 0, 1 or 2;
 5 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 r is 0 or 1;
 s is 0 or 1;
- 10 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

- Q is selected from: -NR⁵R⁶, phenyl, benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl, said benzimidazolyl, benzimidazolonyl, quinolinyl and
- 15 isoquinolinyl which are optionally substituted with one or two R^Z;

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 20 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 25 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 30 13) NR^c(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 35 18) CHO,

- 19) NO_2 ,
 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 5 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,
 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted
 with one or more substituents selected from R^z ;

- 10 R^2 is independently selected from:
- 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
 15 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 7) CO_2H ,
 8) halo,
 9) CN ,
 20 10) OH ,
 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
 13) $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
 14) $\text{S}(\text{O})_m\text{R}^a$,
 25 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
 16) $\text{NR}^c\text{S}(\text{O})_m\text{R}^a$,
 17) CHO ,
 18) NO_2 ,
 19) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
 30 20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 22) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z ;

R^5 and R^6 are independently selected from:

- 5 1) H,
- 2) $(C=O)O_bR^a$,
- 3) C_1 - C_{10} alkyl,
- 4) aryl,
- 5) C_2 - C_{10} alkenyl,
- 10 6) C_2 - C_{10} alkynyl,
- 7) heterocyclyl,
- 8) C_3 - C_8 cycloalkyl,
- 9) SO_2R^a , and
- 10) $(C=O)NR^{b2}$,

- 15 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

- 20 R^5 and R^6 can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z ;

R^Z is selected from:

- 25 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl,
- 3) (C_0-C_6) alkylene- $S(O)_mR^a$,
- 4) oxo,
- 5) OH,
- 30 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 35 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,

- 12) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
 13) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$,
 14) C(O)R^a ,
 15) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
 5 16) C(O)H ,
 17) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
 18) $\text{C(O)N(R}^b)_2$,
 19) $\text{S(O)}_m\text{R}^a$, and
 20) $\text{S(O)}_2\text{NR}^9\text{R}^{10}$
 10 21) $\text{NRC}(\text{C}=\text{O})\text{O}_b\text{R}^a$,
 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}\text{ alkyl}$,
 23) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8\text{ cycloalkyl}$,
 24) $\text{O}(\text{C}=\text{O})\text{O}_b\text{aryl}$, and
 25) $\text{O}(\text{C}=\text{O})\text{O}_b\text{-heterocycle}$,
 15 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted
 with up to three substituents selected from R^b , OH , $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H ,
 CN , $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$, oxo, and $\text{N(R}^b)_2$;

R^a is $(\text{C}_1\text{-C}_6)\text{alkyl}$, $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$, aryl, or heterocyclyl; and

- 20 R^b is H , $(\text{C}_1\text{-C}_6)\text{alkyl}$, aryl, heterocyclyl, $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$, $(\text{C}=\text{O})\text{OC}_1\text{-C}_6\text{ alkyl}$,
 $(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$ or $\text{S(O)}_2\text{R}^a$;

R^c is selected from:


- 25 1) H ,
 2) $\text{C}_1\text{-C}_{10}\text{ alkyl}$,
 3) aryl,
 4) $\text{C}_2\text{-C}_{10}\text{ alkenyl}$,
 5) $\text{C}_2\text{-C}_{10}\text{ alkynyl}$,
 30 6) heterocyclyl,
 7) $\text{C}_3\text{-C}_8\text{ cycloalkyl}$,
 8) $\text{C}_1\text{-C}_6\text{ perfluoroalkyl}$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted
 with one or more substituents selected from R^z , or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5. The compound according to Claim 4 of the Formula C:

5




wherein

- 10 a is 0 or 1;
 b is 0 or 1;
 m is 0, 1 or 2;
 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 15 r is 0 or 1;
 s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

20



R¹ is independently selected from:

- 1) (C=O)_aO b C₁-C₁₀ alkyl,

- 2) $(C=O)_aO_b$ aryl,
 - 3) C_2-C_{10} alkenyl,
 - 4) C_2-C_{10} alkynyl,
 - 5) $(C=O)_aO_b$ heterocyclyl,
 - 5 6) $(C=O)_aO_bC_3-C_8$ cycloalkyl,
 - 7) CO_2H ,
 - 8) halo,
 - 9) CN ,
 - 10) OH ,
 - 10 11) $O_bC_1-C_6$ perfluoroalkyl,
 - 12) $O_a(C=O)_bNR^5R^6$,
 - 13) $NR^c(C=O)NR^5R^6$,
 - 14) $S(O)_mR^a$,
 - 15) $S(O)_2NR^5R^6$,
 - 15 16) $NR^cS(O)_mR^a$,
 - 17) oxo,
 - 18) CHO ,
 - 19) NO_2 ,
 - 20) $NR^c(C=O)O_bR^a$,
 - 20 21) $O(C=O)O_bC_1-C_{10}$ alkyl,
 - 22) $O(C=O)O_bC_3-C_8$ cycloalkyl,
 - 23) $O(C=O)O_b$ aryl, and
 - 24) $O(C=O)O_b$ -heterocycle,
- said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted
- 25 with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) C_1-C_6 alkyl,
- 2) aryl,
- 30 3) heterocyclyl,
- 4) CO_2H ,
- 5) halo,
- 6) CN ,
- 7) OH ,

8) $S(O)_2NR^5R^6$,

said alkyl, aryl and heterocyclyl optionally substituted with one, two or three substituents selected from R^Z ;

5 R^5 and R^6 are independently selected from:

- 1) H,
- 2) $(C=O)O_bR^a$,
- 3) C_1-C_{10} alkyl,
- 4) aryl,
- 10 5) C_2-C_{10} alkenyl,
- 6) C_2-C_{10} alkynyl,
- 7) heterocyclyl,
- 8) C_3-C_8 cycloalkyl,
- 9) SO_2R^a , and
- 15 10) $(C=O)NR^{b2}$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

R^Z is selected from:

- 20 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl,
- 3) (C_0-C_6) alkylene- $S(O)_mR^a$,
- 4) oxo,
- 5) OH,
- 25 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 30 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 13) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 14) $C(O)R^a$,
- 15) (C_0-C_6) alkylene- CO_2R^a ,

- 16) C(O)H,
 17) (C₀-C₆)alkylene-CO₂H,
 18) C(O)N(R^b)₂,
 19) S(O)_mR^a, and
 5 20) S(O)₂N(R^b)₂
 21) NR^c(C=O)O_bR^a,
 22) O(C=O)O_bC₁-C₁₀ alkyl,
 23) O(C=O)O_bC₃-C₈ cycloalkyl,
 24) O(C=O)O_baryl, and
 10 25) O(C=O)O_b-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

15 R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl; and

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

20 R^c is selected from:

- 1) H,
 2) C₁-C₁₀ alkyl,
 3) aryl,
 4) C₂-C₁₀ alkenyl,
 25 5) C₂-C₁₀ alkynyl,
 6) heterocyclyl,
 7) C₃-C₈ cycloalkyl,
 8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted
 30 with one or more substituents selected from R^Z, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

6. A compound which is selected from:

- 1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 5 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;
- 10 N-[3-(1H-imadazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 15 1-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-{1-[4-(2-phenylpyrido[3,4-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 20 1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 25 2-(4-{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;
- 1-(1-{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 30 3,4-dichloro-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;
- 4-cyano-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;
- 35 2,6-difluoro-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;

- N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]-3-(trifluoromethyl)benzamide;
- 5 2,5-difluoro-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;
- 3,5-difluoro-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;
- 10 N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- (3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;
- 15 4-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]amino)carbonyl]-1,3-thiazolidin-3-ium;
- N-[(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- 20 3-phenyl-2-[4-[(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;
- 25 2-phenyl-3-[4-[(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;
- N-[(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- 30 N-[(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- N-[(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- 35 N-[(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;
- 40 N-(3-methylphenyl)-N'-[1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl]urea;
- N-(4-methoxyphenyl)-N'-[1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl]urea;
- N-(3-methoxyphenyl)-N'-[1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl]urea;
- 45

- methyl 3-(((1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl)amino)carbonyl)amino)benzoate;
- 5 N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;
- 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;
- 10 *N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;
- 9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 15 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;
- 9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 20 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;
- 9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 9-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 25 9-{1-[4-(3-phenylpyrido[2,3-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 9-{1-[4-(2-phenylpyrido[2,3-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 30 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;
- 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 35 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 2-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;
- 40 2-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

- 3-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;
- 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-b]pyrazine;
- 1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- 9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- N^2,N^2 -dimethyl- N^1 -[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;
- N^2,N^2 -dimethyl- N^1 -[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;
- 1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;
- N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- 2-deoxy-2-([2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;
- 2-deoxy-2-([3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;
- 5 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;
- 3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 10 3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 3-(4-{[3-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 15 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;
- 20 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylamino-2-yl)quinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;
- 25 N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 30 N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 35 Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;
- N-[3-(2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide];
- 40 N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide];
- 45 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;
- 5 N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 10 N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 15 N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;
- 20 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;
- 25 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;
- 30 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;
- 3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 35 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methylquinaxoline;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-chloroquinaxoline;
- 40 N,N-dimethyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- 45 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

- N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 5 Ethyl 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;
- N-[3-(2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 10 N-[3-(2-phenyl-2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;
- 15 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;
- 20 N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- N-(5-hydroxypentyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 25 N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 30 N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;
- 35 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;
- 40 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;
- 45 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

- 7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- 5 7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 10 6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 15 7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 20 6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;
- 6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;
- 25 N-[2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methylsulfonamide;
- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;
- 30 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 35 7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 7-methyl-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 40 7-chloro-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 7-chloro-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- 45

- N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 5 N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;
- 10 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;
- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;
- 15 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;
- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;
- 20 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;
- 25 N-isopropyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;
- N-(3-fluorophenyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;
- 30 N-phenyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;
- N-(4-bromobenzyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;
- 35 N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzenesulfonamide;
- N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-4-bromobenzenesulfonamide;
- 40 N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzylsulfonamide;
- N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-3,4-dimethoxybenzenesulfonamide;
- 45

- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)thien-2-ylsulfonamide;
- 5 N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)2,2,2-trifluoroethylsulfonamide;
- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)quinolin-7-ylsulfonamide;
- 10 4-phenyl-1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;
- 1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;
- 15 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;
- 20 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;
- 25 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;
- 30 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;
- 1-{ 1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 35 1-{ 1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;
- 40 Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;
- 45 2-{ 1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

- 2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
 2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
 5 2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
 1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
 10 N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl]phenyl}-3-phenylquinoxaline-6-carboxamide;
 1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
 15 1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
 N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;
 20 1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;
 25 N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;
 30 1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
 1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
 35 1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
 40 1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
 1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
 45

- N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl]phenyl}-2-phenylquinoxaline-6-carboxamide;
- 5 N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl)methyl]phenyl}-3-phenylquinoxalin-6-yl]ethyl}acetamide;
- 1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 10 1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 15 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 20 2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
- 25 3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;
- 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;
- 30 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
- 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-1,8-naphthyridine;
- 35 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 40 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;
- 9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- 45 9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

- 1- $\{1-[4-(3\text{-phenyl-1,8-naphthyridin-2-yl})\text{benzyl}]\text{piperidin-4-yl}\}$ -1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;
- 5 1- $\{1-[4-(3\text{-phenyl-1,8-naphthyridin-2-yl})\text{benzyl}]\text{piperidin-4-yl}\}$ -1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;
- 1- $\{1-[4-(3\text{-Phenyl-1,8-naphthyridin-2-yl})\text{benzyl}]\text{piperidin-4-yl}\}$ -1,3-dihydro-2H-benzimidazol-2-one;
- 10 2-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 3-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 15 N-[2-(diethylamino)ethyl]-3-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxamide;
- 20 N-(2-hydroxyethyl)-3-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxamide;
- N-methyl-3-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxamide;
- 25 N-[3-(1H-imidazol-1-yl)propyl]-3-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxamide;
- 2-(4- $\{[4-(6\text{-fluoro-1H-benzimidazol-2-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 30 3-(4- $\{[4-(6\text{-fluoro-1H-benzimidazol-2-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 35 N-[2-(diethylamino)ethyl]-3-(4- $\{[4-(6\text{-fluoro-1H-benzimidazol-2-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylquinoxaline-6-carboxamide;
- 7-bromo-2-(4- $\{[4-(6\text{-fluoro-1H-benzimidazol-2-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-6-methyl-3-phenylpyrido[2,3-*b*]pyrazine;
- 40 7-bromo-3-(4- $\{[4-(6\text{-fluoro-1H-benzimidazol-2-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;
- 7-bromo-6-methyl-2-(4- $\{[4-(2\text{-methyl-1H-benzimidazol-1-yl})\text{piperidin-1-yl}]\text{methyl}\}$ phenyl)-3-phenylpyrido[2,3-*b*]pyrazine;
- 45

- 7-bromo-3-(4-{[4-(2-methyl-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;
- 5 1-{1-[4-(4-amino-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;
- 1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one; and
- 10 1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;
- or a pharmaceutically acceptable salt or a stereoisomer thereof.
- 15 7. The compound according to Claim 6 which is the TFA salt of a compound selected from:
- 1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;
- 20 3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;
- 25 N-[3-(1*H*-imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 30 1-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;
- 1-{1-[4-(2-phenylpyrido[3,4-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;
- 35 1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

- 1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 5 2-(4-{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;
- 1-(1-{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 10 3,4-dichloro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;
- 4-cyano-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;
- 15 2,6-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;
- N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-3-(trifluoromethyl)benzamide;
- 20 2,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;
- 3,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;
- 25 N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- 30 (3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;
- 4-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]amino)carbonyl]-1,3-thiazolidin-3-ium;
- 35 N-{(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- 40 3-phenyl-2-[4-[(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl]methyl]phenyl]quinoxaline-6-carboxylic acid;
- 2-phenyl-3-[4-[(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl]methyl]phenyl]quinoxaline-6-carboxylic acid;

- N-{(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- 5 N-{(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- N-{(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- 10 N-{(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;
- N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;
- 15 N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;
- N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;
- 20 methyl 3-{[(1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl)amino]carbonyl}amino}benzoate;
- N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;
- 25 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;
- N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;
- 30 9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;
- 35 9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;
- 40 9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 45 9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

- 9-{1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;
- 5 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 10 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;
- 15 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;
- 3-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;
- 20 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-b]pyrazine;
- 1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 25 1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 30 1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- 35 9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- N^2,N^2 -dimethyl- N^1 -[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;
- 40 N^2,N^2 -dimethyl- N^1 -[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

- 1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 5 N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;
- N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- 10 2-deoxy-2-({[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl}amino)-D-arabino-hexopyranose;
- 15 2-deoxy-2-({[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl}amino)-D-arabino-hexopyranose;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;
- 20 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;
- 3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 25 3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 30 3-(4-{[3-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;
- 35 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylaminoprop-2-yl)quinaxoline;
- 40 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;
- 45 N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 5 N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;
- 10 N-[3-(2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 15 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;
- 20 N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 25 N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 30 N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 35 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;
- 40 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;
- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;
- 45

- 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;
- 5 3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methylquinaxoline;
- 10 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-chloroquinaxoline;
- N,N-dimethyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- 15 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 20 Ethyl 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;
- 25 N-[3-(2-hydroxyethyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- N-[3-(2-phenyl-2-hydroxyethyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 30 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;
- 35 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;
- N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 40 N-(5-hydroxypentyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 45

- N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 5 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;
- 10 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;
- 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;
- 15 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;
- 7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- 20 7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 25 6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;
- 30 7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 35 6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;
- 40 6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;
- N-[2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methylsulfonamide;
- 45

- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;
- 5 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;
- 7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 10 7-methyl-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;
- 7-chloro-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;
- 15 7-chloro-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;
- N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 20 N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;
- 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;
- 25 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;
- 30 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;
- 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;
- 35 2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;
- 40 3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;
- N-isopropyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;
- 45 N-(3-fluorophenyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

- N-phenyl-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)urea;
- 5 N-(4-bromobenzyl)-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)urea;
- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)benzenesulfonamide;
- 10 N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)-4-bromobenzenesulfonamide;
- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)benzylsulfonamide;
- 15 N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)-3,4-dimethoxybenzenesulfonamide;
- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)thien-2-ylsulfonamide;
- 20 N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)-2,2,2-trifluoroethylsulfonamide;
- N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl} methyl)quinolin-7-ylsulfonamide;
- 25 4-phenyl-1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;
- 30 1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-1,2,3,4,5-trifluorophenylsulfonamide;
- 35 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;
- 40 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;
- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;
- 45 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

- N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;
- 1-{1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 10 Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;
- Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;
- 15 2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
- 2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
- 20 2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
- 2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;
- 1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
- 25 N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;
- 30 1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
- 35 N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;
- 1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 40 N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;
- 45 N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

- 1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 5 1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
- 10 1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;
- 15 N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl]phenyl)-2-phenylquinoxaline-6-carboxamide;
- 20 N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl)methyl]phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;
- 1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 25 1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 30 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 35 1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
- 40 3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;
- 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;
- 45

- 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
- 5 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;
- 10 9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- 9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
- 15 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;
- 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;
- 20 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 25 N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- 30 N-(2-hydroxyethyl)-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- N-methyl-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- 35 N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
- 2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;
- 40 3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;
- 45 N-[2-(diethylamino)ethyl]-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

5 1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one.

10

8. The compound according to Claim 6 which is selected from:

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

15

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

4-cyano-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

20

N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

25

9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

30

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

35

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

40

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

- 9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
- 5 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;
- 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 10 1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
- 15 1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
- 1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and
- 20 1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

- 25 9. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 1.
- 30 10. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 6.
- 35 11. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 8.

12. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 1.

5 13. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 6.

10 14. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 8.

15 15. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 1.

20 16. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 6.

17. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 8.

25 18. A pharmaceutical composition made by combining the compound of Claim 1 and a pharmaceutically acceptable carrier.

30 19. A process for making a pharmaceutical composition comprising combining a compound of Claim 1 and a pharmaceutically acceptable carrier.

20. The composition of Claim 9 further comprising a second compound selected from:

- 35 1) an estrogen receptor modulator,
2) an androgen receptor modulator,

- 5 3) retinoid receptor modulator,
 4) a cytotoxic agent,
 5) an antiproliferative agent,
 6) a prenyl-protein transferase inhibitor,
 7) an HMG-CoA reductase inhibitor,
 8) an HIV protease inhibitor,
 9) a reverse transcriptase inhibitor,
 10) an angiogenesis inhibitor,
 11) a PPAR- γ agonists,
10 12) a PPAR- δ agonists,
 13) an inhibitor of cell proliferation and survival signaling, and
 14) an agent that interferes with a cell cycle checkpoint.

15 21. The composition of Claim 20, wherein the second compound is
 an angiogenesis inhibitor selected from the group consisting of a tyrosine kinase
 inhibitor, an inhibitor of epidermal-derived growth factor, an inhibitor of fibroblast-
 derived growth factor, an inhibitor of platelet derived growth factor, an MMP
 inhibitor, an integrin blocker, interferon- α , interleukin-12, pentosan polysulfate, a
 cyclooxygenase inhibitor, carboxyamidotriazole, combretastatin A-4, squalamine, 6-
20 O-(chloroacetyl-carbonyl)-fumagillol, thalidomide, angiostatin and troponin-1.

 22. The composition of Claim 20, wherein the second compound is
 an estrogen receptor modulator selected from tamoxifen and raloxifene.

25 23. A method of treating cancer which comprises administering a
 therapeutically effective amount of a compound of Claim 1 in combination with
 radiation therapy.

30 24. A method of treating or preventing cancer which comprises
 administering a therapeutically effective amount of a compound of Claim 1 in
 combination with a compound selected from:

- 35 1) an estrogen receptor modulator,
 2) an androgen receptor modulator,
 3) retinoid receptor modulator,
 4) a cytotoxic agent,

- 5) an antiproliferative agent,
6) a prenyl-protein transferase inhibitor,
7) an HMG-CoA reductase inhibitor,
8) an HIV protease inhibitor,
9) a reverse transcriptase inhibitor,
10) an angiogenesis inhibitor,
11) a PPAR- γ agonists,
12) a PPAR- δ agonists,
13) an inhibitor of inherent multidrug resistance,
14) an anti-emetic agent,
15) an agent useful in the treatment of anemia,
16) an agent useful in the treatment of neutropenia,
17) an immunologic-enhancing drug,
18) an inhibitor of cell proliferation and survival signaling, and
19) an agent that interferes with a cell cycle checkpoint.

25. A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy and a compound selected from:

- 1) an estrogen receptor modulator,
2) an androgen receptor modulator,
3) retinoid receptor modulator,
4) a cytotoxic agent,
5) an antiproliferative agent,
6) a prenyl-protein transferase inhibitor,
7) an HMG-CoA reductase inhibitor,
8) an HIV protease inhibitor,
9) a reverse transcriptase inhibitor,
10) an angiogenesis inhibitor,
11) a PPAR- γ agonists,
12) a PPAR- δ agonists,
13) an inhibitor of inherent multidrug resistance,
14) an anti-emetic agent,
15) an agent useful in the treatment of anemia,
16) an agent useful in the treatment of neutropenia,

- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

5

26. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.